

Logarithms

Question Paper, Set 04

Time: 1 hour 30 minutes

Maximum marks: 50

Name: _____ Class: _____ Date: _____

1. Answer all 20 questions. The marks for each question are shown in brackets.
2. Show your working for the 2, 3 and 5 mark questions.
3. The key sheet and worked solutions are at the end of this paper.

1. Find the value of $\log_{11} 121$. [1 mark]
2. Why can 1 not be the base of a logarithm? Explain using 1^4 and 1^7 . [1 mark]
3. Write $\log_8 \frac{1}{64} = -2$ in exponential form. [1 mark]
4. Find $6 \log_{13} 13 - 2 \log_8 8$. [1 mark]
5. Find the value of $\log_{12} 8 + \log_{12} 18$. [2 marks]
6. Find the value of $\log_{\frac{1}{3}} 81$. [2 marks]
7. If $\log_3 10 = p$, write $\log_{10} 3$ in terms of p . [1 mark]
8. Find the value of $\log_{11} 8 \cdot \log_{16} 11$. [2 marks]
9. Write $\frac{\log 64}{\log 16}$ as a single logarithm and find its value. [1 mark]
10. Find the value of $\frac{11^{\log_{11} 45}}{3^{\log_3 9}}$. [2 marks]
11. Find the value of $6^{\log_5 11} - 11^{\log_5 6}$. [2 marks]
12. If $\log_2 \sqrt[3]{x} = \log_2 4$, find x . [2 marks]
13. If $\log_5(x^2 + 6x + 13) = 1$, find x . [3 marks]
14. Solve $\log_3(x - 6) + \log_3 x = 3$. [5 marks]
15. Find the value of $\log_4 32 - \log_{32} 4$. [3 marks]
16. Show that $\log_{b^2} a \cdot \log_{c^3} b \cdot \log_{a^4} c = \frac{1}{24}$. [5 marks]
17. Find the value of $2^{4+\log_2 3} - 9^{\log_3 5}$. [3 marks]
18. If $c^3 - b^3 = 27$, find $\log_3(c - b) + \log_3(c^2 + cb + b^2)$. [5 marks]
19. Solve $\log_3(x - 1) = \log_9(x + 5)$. [5 marks]
20. Complete the table of $y = \log_{\frac{1}{2}} x$ for $x = \frac{1}{8}, \frac{1}{4}, 1, 2, 8, 16$. [3 marks]

Key sheet

Q	Answer
1	2
2	$1^4 = 1$ and $1^7 = 1$ would give $4 = 7$, which has no meaning
3	$\frac{1}{64} = 8^{-2}$
4	4
5	2
6	-4
7	$\frac{1}{p}$
8	$\frac{3}{4}$
9	$\log_{16} 64 = \frac{3}{2}$
10	5
11	0
12	$x = 64$
13	$x = -2$ (or) $x = -4$
14	$x = 9$
15	$\frac{21}{10}$
16	$\frac{1}{24}$
17	23
18	3
19	$x = 4$
20	$y = 3, 2, 0, -1, -3, -4$

Solutions

1. Find the value of $\log_{11} 121$. [1]

$$11^2 = 121$$

$$a^x = N \Rightarrow x = \log_a N$$

$$\therefore \log_{11} 121 = 2$$

Ans: 2

2. Why can 1 not be the base of a logarithm? Explain using 1^4 and 1^7 . [1]

$$1^4 = 1 \Rightarrow 4 = \log_1 1$$

$$1^7 = 1 \Rightarrow 7 = \log_1 1$$

So $4 = 7$, which has no meaning.

$$\therefore a \neq 1$$

Ans: $1^4 = 1$ and $1^7 = 1$ would give $4 = 7$, which has no meaning

3. Write $\log_8 \frac{1}{64} = -2$ in exponential form. [1]

$$\log_a N = x \Leftrightarrow N = a^x$$

$$\text{Here } a = 8, N = \frac{1}{64}, x = -2.$$

$$\therefore \frac{1}{64} = 8^{-2}$$

$$\text{Ans: } \frac{1}{64} = 8^{-2}$$

4. Find $6 \log_{13} 13 - 2 \log_8 8$. [1]

$$\log_{13} 13 = 1, \log_8 8 = 1$$

$$= 6(1) - 2(1) = 4$$

Ans: 4

5. Find the value of $\log_{12} 8 + \log_{12} 18$. [2]

$$\log_a m + \log_a n = \log_a mn$$

$$= \log_{12}(8 \times 18) = \log_{12} 144$$

$$12^2 = 144 \Rightarrow \log_{12} 144 = 2$$

Ans: 2

6. Find the value of $\log_{\frac{1}{3}} 81$. [2]

$$\frac{1}{3} = 3^{-1}, 81 = 3^4$$

$$\log_{\frac{1}{3}} 81 = \log_{3^{-1}} 3^4$$

$$= \frac{4}{-1} \log_3 3 = -4$$

Ans: -4

7. If $\log_3 10 = p$, write $\log_{10} 3$ in terms of p . [1]

$$\log_b a = \frac{1}{\log_a b}$$

$$\log_{10} 3 = \frac{1}{\log_3 10} = \frac{1}{p}$$

Ans: $\frac{1}{p}$

8. Find the value of $\log_{11} 8 \cdot \log_{16} 11$. [2]

$$\begin{aligned}\log_b a \cdot \log_c b &= \log_c a \\ &= \log_{16} 8 \\ &= \frac{3}{4}\end{aligned}$$

Ans: $\frac{3}{4}$

9. Write $\frac{\log 64}{\log 16}$ as a single logarithm and find its value. [1]

$$\begin{aligned}\frac{\log a}{\log b} &= \log_b a \\ &= \log_{16} 64 \\ &= \frac{3}{2}\end{aligned}$$

Ans: $\log_{16} 64 = \frac{3}{2}$

10. Find the value of $\frac{11^{\log_{11} 45}}{3^{\log_3 9}}$. [2]

$$\begin{aligned}a^{\log_a N} &= N \\ &= \frac{45}{9} = 5\end{aligned}$$

Ans: 5

11. Find the value of $6^{\log_5 11} - 11^{\log_5 6}$. [2]

$$\begin{aligned}a^{\log_c b} &= b^{\log_c a} \\ 6^{\log_5 11} &= 11^{\log_5 6} \\ &= 11^{\log_5 6} - 11^{\log_5 6} = 0\end{aligned}$$

Ans: 0

12. If $\log_2 \sqrt[3]{x} = \log_2 4$, find x . [2]

$$\begin{aligned}\log_a m &= \log_a n \Rightarrow m = n \\ \Rightarrow \sqrt[3]{x} &= 4 \\ \Rightarrow x &= 4^3 = 64\end{aligned}$$

Ans: $x = 64$

13. If $\log_5(x^2 + 6x + 13) = 1$, find x . [3]

$$\begin{aligned}\log_a N &= x \Rightarrow N = a^x \\ \Rightarrow x^2 + 6x + 13 &= 5 \\ \Rightarrow x^2 + 6x + 8 &= 0 \\ \Rightarrow x^2 + 4x + 2x + 8 &= 0 \\ \Rightarrow x(x + 4) + 2(x + 4) &= 0 \\ \Rightarrow (x + 2)(x + 4) &= 0 \\ \Rightarrow x &= -2 \text{ (or) } x = -4\end{aligned}$$

Ans: $x = -2$ (or) $x = -4$

14. Solve $\log_3(x - 6) + \log_3 x = 3$. [5]

$$\log_a m + \log_a n = \log_a mn$$

$$\Rightarrow \log_3(x - 6)x = 3$$

$$\Rightarrow \log_3(x^2 - 6x) = 3$$

$$\Rightarrow x^2 - 6x = 3^3 = 27$$

$$\Rightarrow x^2 - 6x - 27 = 0$$

$$\Rightarrow x^2 - 9x + 3x - 27 = 0$$

$$\Rightarrow x(x - 9) + 3(x - 9) = 0$$

$$\Rightarrow (x + 3)(x - 9) = 0$$

$$\Rightarrow x = -3 \text{ (or) } x = 9$$

If $x = -3$, $\log_3 x$ is not defined.

$$\therefore x \neq -3$$

$$\therefore x = 9$$

Ans: $x = 9$

15. Find the value of $\log_4 32 - \log_{32} 4$. [3]

$$= \log_{2^2} 2^5 - \log_{2^5} 2^2$$

$$= \frac{5}{2} \log_2 2 - \frac{2}{5} \log_2 2$$

$$= \frac{5}{2} - \frac{2}{5}$$

$$= \frac{21}{10}$$

Ans: $\frac{21}{10}$

16. Show that $\log_{b^2} a \cdot \log_{c^3} b \cdot \log_{a^4} c = \frac{1}{24}$. [5]

$$\log_{b^n} a^m = \frac{m}{n} \log_b a$$

$$LHS = \frac{1}{2} \log_b a \cdot \frac{1}{3} \log_c b \cdot \frac{1}{4} \log_a c$$

$$= \frac{1}{24} \log_b a \log_c b \log_a c$$

$$\log_b a \log_c b \log_a c = \log_a a = 1$$

$$= \frac{1}{24}(1) = \frac{1}{24} = RHS$$

Ans: $\frac{1}{24}$

17. Find the value of $2^{4+\log_2 3} - 9^{\log_3 5}$. [3]

$$2^{4+\log_2 3} = 2^4 \times 2^{\log_2 3} = 16 \times 3 = 48$$

$$9^{\log_3 5} = (3^2)^{\log_3 5} = (3^{\log_3 5})^2 = 5^2 = 25$$

$$= 48 - 25 = 23$$

Ans: 23

18. If $c^3 - b^3 = 27$, find $\log_3(c - b) + \log_3(c^2 + cb + b^2)$. [5]

$$\log_a m + \log_a n = \log_a mn$$

$$= \log_3[(c - b)(c^2 + cb + b^2)]$$

$$(a - b)(a^2 + ab + b^2) = a^3 - b^3$$

$$= \log_3(c^3 - b^3) = \log_3 27$$

$$= \log_3 3^3 = 3$$

Ans: 3

19. Solve $\log_3(x - 1) = \log_9(x + 5)$. [5]

$$\log_9(x + 5) = \log_{3^2}(x + 5) = \frac{1}{2} \log_3(x + 5)$$

$$\Rightarrow 2 \log_3(x - 1) = \log_3(x + 5)$$

$$\Rightarrow \log_3(x - 1)^2 = \log_3(x + 5)$$

$$\Rightarrow (x - 1)^2 = x + 5$$

$$\Rightarrow x^2 - 2x + 1 = x + 5$$

$$\Rightarrow x^2 - 3x - 4 = 0$$

$$\Rightarrow x^2 - 4x + x - 4 = 0$$

$$\Rightarrow x(x - 4) + 1(x - 4) = 0$$

$$\Rightarrow (x + 1)(x - 4) = 0$$

$$\Rightarrow x = -1 \text{ (or) } x = 4$$

For $x = -1$, $\log_3(x - 1)$ is not defined.

$$\therefore x = 4$$

Ans: $x = 4$

20. Complete the table of $y = \log_{\frac{1}{2}} x$ for $x = \frac{1}{8}, \frac{1}{4}, 1, 2, 8, 16$. [3]

$$y = \log_{\frac{1}{2}} x$$

$$x = \frac{1}{8} : y = \log_{\frac{1}{2}} \frac{1}{8} = 3$$

$$x = \frac{1}{4} : y = \log_{\frac{1}{2}} \frac{1}{4} = 2$$

$$x = 1 : y = \log_{\frac{1}{2}} 1 = 0$$

$$x = 2 : y = \log_{\frac{1}{2}} 2 = -1$$

$$x = 8 : y = \log_{\frac{1}{2}} 8 = -3$$

$$x = 16 : y = \log_{\frac{1}{2}} 16 = -4$$

Ans: $y = 3, 2, 0, -1, -3, -4$
