

Rationalization (Surds)

Question Paper, Set 06

Time: 1 hour 30 minutes

Maximum marks: 50

Name: _____ Class: _____ Date: _____

1. Answer all 20 questions. The marks for each question are shown in brackets.
2. Show your working for the 2, 3 and 5 mark questions.
3. The key sheet and worked solutions are at the end of this paper.

1. Is $\sqrt[4]{625}$ a surd? Give a reason. [1 mark]
2. Is $3\sqrt{58}$ a mixed surd? Give a reason. [1 mark]
3. Write the conjugates of (i) $14 - \sqrt{14}$ (ii) $10 + \sqrt{11}$ [2 marks]
4. Find $(\sqrt{17})^2$. [1 mark]
5. Write in exponent form: (i) $\sqrt[5]{23}$ (ii) $\sqrt[4]{14}$ [2 marks]
6. Simplify (i) $\sqrt[5]{9} \times \sqrt[5]{27}$ (ii) $\frac{\sqrt[3]{80}}{\sqrt[3]{10}}$ [3 marks]
7. Simplify $(10\sqrt{23})^2$. [1 mark]
8. Simplify $(4 + \sqrt{6})(1 - \sqrt{6})$. [2 marks]
9. Write a rationalising factor of $\sqrt{21}$. [1 mark]
10. Simplify $\sqrt{150} + \sqrt{294}$. [2 marks]
11. Find (i) $(\sqrt{5})^7$ (ii) $(8\sqrt{2})^3$ [3 marks]
12. Simplify $(11 - \sqrt{11})^2$. [2 marks]
13. Find $(18 - \sqrt{30})(18 + \sqrt{30})$. [1 mark]
14. Rationalise the denominator of $\frac{1}{\sqrt{15} - \sqrt{13}}$. [2 marks]
15. If $\frac{8+2\sqrt{2}}{4-2\sqrt{2}} = a + b\sqrt{2}$, find a and b . [5 marks]
16. Simplify $\frac{6+\sqrt{10}}{6-\sqrt{10}} + \frac{6-\sqrt{10}}{6+\sqrt{10}}$. [3 marks]
17. Simplify $\frac{5}{\sqrt{14}+3} - \frac{9}{\sqrt{14}-\sqrt{5}} - \frac{4}{\sqrt{5}-3}$. [5 marks]
18. If $x = \frac{1}{11+2\sqrt{30}}$, find the value of $x^3 - 21x^2 - 21x + 10$. [5 marks]
19. Find $\sqrt{11 + \sqrt{112}}$. [3 marks]

20. Find $\sqrt{11 + \sqrt{85}}$ and write the answer with a rational denominator.

[5 marks]

Key sheet

Q	Answer
1	No. $\sqrt[4]{625} = 5$, a rational number.
2	Yes. It is 3 times the surd $\sqrt{58}$.
3	(i) $14 + \sqrt{14}$ (ii) $10 - \sqrt{11}$
4	17
5	(i) $23^{\frac{1}{5}}$ (ii) $14^{\frac{1}{4}}$
6	(i) 3 (ii) 2
7	2300
8	$-2 - 3\sqrt{6}$
9	$\sqrt{21}$ (since $\sqrt{21} \times \sqrt{21} = 21$)
10	$12\sqrt{6}$
11	(i) $125\sqrt{5}$ (ii) $1024\sqrt{2}$
12	$132 - 22\sqrt{11}$
13	294
14	$\frac{\sqrt{15} + \sqrt{13}}{2}$
15	$a = 5, b = 3$
16	$\frac{46}{13}$
17	0
18	9
19	$\sqrt{7} + 2$
20	$\frac{\sqrt{34} + \sqrt{10}}{2}$

Solutions

1. Is $\sqrt[4]{625}$ a surd? Give a reason. [1]

$$\sqrt[4]{625} = \sqrt[4]{5 \times 5 \times 5 \times 5} = 5$$

It is a rational number, so it is not a surd.

Ans: No. $\sqrt[4]{625} = 5$, a rational number.

2. Is $3\sqrt{58}$ a mixed surd? Give a reason. [1]

$7^2 = 49$ and $8^2 = 64$, so 58 is not a perfect square.

So $\sqrt{58}$ is a surd, and $3\sqrt{58}$ is in the form $a \cdot \sqrt{b}$: a mixed surd.

Ans: Yes. It is 3 times the surd $\sqrt{58}$.

3. Write the conjugates of (i) $14 - \sqrt{14}$ (ii) $10 + \sqrt{11}$ [2]

Change the sign of the surd part only.

(i) The conjugate of $14 - \sqrt{14}$ is $14 + \sqrt{14}$

(ii) The conjugate of $10 + \sqrt{11}$ is $10 - \sqrt{11}$

Ans: (i) $14 + \sqrt{14}$ **(ii)** $10 - \sqrt{11}$

4. Find $(\sqrt{17})^2$. [1]

$$(\sqrt{17})^2 = \sqrt{17} \times \sqrt{17}$$

$$= \sqrt{17^2} = 17$$

Ans: 17

5. Write in exponent form: (i) $\sqrt[5]{23}$ (ii) $\sqrt[4]{14}$ [2]

$$\sqrt[n]{a} = a^{\frac{1}{n}}$$

$$(i) \sqrt[5]{23} = 23^{\frac{1}{5}}$$

$$(ii) \sqrt[4]{14} = 14^{\frac{1}{4}}$$

Ans: (i) $23^{\frac{1}{5}}$ **(ii)** $14^{\frac{1}{4}}$

6. Simplify (i) $\sqrt[5]{9} \times \sqrt[5]{27}$ (ii) $\sqrt[3]{\frac{80}{10}}$ [3]

$$(i) \sqrt[5]{9} \times \sqrt[5]{27} = \sqrt[5]{9 \times 27}$$

$$= \sqrt[5]{243} = \sqrt[5]{3^5} = 3$$

$$(ii) \sqrt[3]{\frac{80}{10}} = \sqrt[3]{\frac{80}{10}}$$

$$= \sqrt[3]{8} = \sqrt[3]{2^3} = 2$$

Ans: (i) 3 **(ii)** 2

7. Simplify $(10\sqrt{23})^2$. [1]

$$(10\sqrt{23})^2 = 10^2 \times (\sqrt{23})^2$$

$$= 100 \times 23 = 2300$$

Ans: 2300

8. Simplify $(4 + \sqrt{6})(1 - \sqrt{6})$. [2]

$$\begin{aligned}(4 + \sqrt{6})(1 - \sqrt{6}) &= 4 - 4\sqrt{6} + \sqrt{6} - 6 \\ &= -2 - 3\sqrt{6} \\ \text{Ans: } &-2 - 3\sqrt{6}\end{aligned}$$

9. Write a rationalising factor of $\sqrt{21}$. [1]

$$\begin{aligned}\sqrt{21} \times \sqrt{21} &= 1 \times (\sqrt{21})^2 = 1 \times 21 = 21, \text{ a rational number.} \\ \text{So } \sqrt{21} &\text{ is a rationalising factor of } \sqrt{21}. \\ \text{Ans: } &\sqrt{21} \text{ (since } \sqrt{21} \times \sqrt{21} = 21\text{)}\end{aligned}$$

10. Simplify $\sqrt{150} + \sqrt{294}$. [2]

$$\begin{aligned}\sqrt{150} &= \sqrt{25 \times 6} = 5\sqrt{6} \\ \sqrt{294} &= \sqrt{49 \times 6} = 7\sqrt{6} \\ \sqrt{150} + \sqrt{294} &= 5\sqrt{6} + 7\sqrt{6} = 12\sqrt{6} \\ \text{Ans: } &12\sqrt{6}\end{aligned}$$

11. Find (i) $(\sqrt{5})^7$ (ii) $(8\sqrt{2})^3$ [3]

$$\begin{aligned}\text{(i) } (\sqrt{5})^7 &= [(\sqrt{5})^2]^3 \times \sqrt{5} = 5^3 \times \sqrt{5} = 125\sqrt{5} \\ \text{(ii) } (8\sqrt{2})^3 &= 8^3 \times (\sqrt{2})^3 = 512 \times 2\sqrt{2} = 1024\sqrt{2} \\ \text{Ans: (i) } &125\sqrt{5} \text{ (ii) } 1024\sqrt{2}\end{aligned}$$

12. Simplify $(11 - \sqrt{11})^2$. [2]

$$\begin{aligned}(a - b)^2 &= a^2 + b^2 - 2ab \\ (11 - \sqrt{11})^2 &= 11^2 + (\sqrt{11})^2 - 2(11)(\sqrt{11}) \\ &= 121 + 11 - 22\sqrt{11} = 132 - 22\sqrt{11} \\ \text{Ans: } &132 - 22\sqrt{11}\end{aligned}$$

13. Find $(18 - \sqrt{30})(18 + \sqrt{30})$. [1]

$$\begin{aligned}(a + b)(a - b) &= a^2 - b^2 \\ &= 18^2 - (\sqrt{30})^2 = 324 - 30 = 294 \\ \text{Ans: } &294\end{aligned}$$

14. Rationalise the denominator of $\frac{1}{\sqrt{15}-\sqrt{13}}$. [2]

$$\begin{aligned}\frac{1}{\sqrt{15}-\sqrt{13}} &= \frac{\sqrt{15}+\sqrt{13}}{(\sqrt{15}-\sqrt{13})(\sqrt{15}+\sqrt{13})} \\ (\sqrt{15}-\sqrt{13})(\sqrt{15}+\sqrt{13}) &= 15 - 13 = 2 \\ &= \frac{\sqrt{15}+\sqrt{13}}{2} \\ \text{Ans: } &\frac{\sqrt{15}+\sqrt{13}}{2}\end{aligned}$$

15. If $\frac{8+2\sqrt{2}}{4-2\sqrt{2}} = a + b\sqrt{2}$, find a and b . [5]

$$\frac{8+2\sqrt{2}}{4-2\sqrt{2}} = \frac{(8+2\sqrt{2})(4+2\sqrt{2})}{(4-2\sqrt{2})(4+2\sqrt{2})}$$

$$\text{Numerator: } 32 + 16\sqrt{2} + 8\sqrt{2} + 8 = 40 + 24\sqrt{2}$$

$$\text{Denominator: } 4^2 - (2\sqrt{2})^2 = 16 - 8 = 8$$

$$\frac{40+24\sqrt{2}}{8} = 5 + 3\sqrt{2}$$

$$\text{Comparing with } a + b\sqrt{2}: a = 5, b = 3$$

$$\text{Ans: } a = 5, b = 3$$

16. Simplify $\frac{6+\sqrt{10}}{6-\sqrt{10}} + \frac{6-\sqrt{10}}{6+\sqrt{10}}$. [3]

$$= \frac{(6+\sqrt{10})^2}{(6-\sqrt{10})(6+\sqrt{10})} + \frac{(6-\sqrt{10})^2}{(6+\sqrt{10})(6-\sqrt{10})}$$

$$(6 + \sqrt{10})^2 = 36 + 10 + 12\sqrt{10} = 46 + 12\sqrt{10}, (6 - \sqrt{10})^2 = 46 - 12\sqrt{10}, (6 + \sqrt{10})(6 - \sqrt{10}) = 26$$

$$= \frac{46+12\sqrt{10}}{26} + \frac{46-12\sqrt{10}}{26}$$

$$= \frac{46+12\sqrt{10}+46-12\sqrt{10}}{26} = \frac{46}{13}$$

$$\text{Ans: } \frac{46}{13}$$

17. Simplify $\frac{5}{\sqrt{14}+3} - \frac{9}{\sqrt{14}-\sqrt{5}} - \frac{4}{\sqrt{5}-3}$. [5]

$$\frac{5}{\sqrt{14}+3} = \frac{5(\sqrt{14}-3)}{(\sqrt{14}+3)(\sqrt{14}-3)} = \frac{5(\sqrt{14}-3)}{5} = \sqrt{14} - 3$$

$$\frac{9}{\sqrt{14}-\sqrt{5}} = \frac{9(\sqrt{14}+\sqrt{5})}{(\sqrt{14}-\sqrt{5})(\sqrt{14}+\sqrt{5})} = \frac{9(\sqrt{14}+\sqrt{5})}{9} = \sqrt{14} + \sqrt{5}$$

$$\frac{4}{\sqrt{5}-3} = \frac{4(\sqrt{5}+3)}{(\sqrt{5}-3)(\sqrt{5}+3)} = \frac{4(\sqrt{5}+3)}{-4} = -3 - \sqrt{5}$$

$$\text{Sum} = (\sqrt{14} - 3) - (\sqrt{14} + \sqrt{5}) - (-3 - \sqrt{5})$$

$$= 0 \text{ (all the terms cancel)}$$

$$\text{Ans: } 0$$

18. If $x = \frac{1}{11+2\sqrt{30}}$, find the value of $x^3 - 21x^2 - 21x + 10$. [5]

$$x = \frac{1}{11+2\sqrt{30}} = \frac{11-2\sqrt{30}}{(11+2\sqrt{30})(11-2\sqrt{30})}$$

$$= \frac{11-2\sqrt{30}}{121-120}$$

$$x - 11 = -2\sqrt{30}$$

$$(x - 11)^2 = (-2\sqrt{30})^2 \Rightarrow x^2 - 22x + 121 = 120$$

$$\Rightarrow x^2 - 22x + 1 = 0$$

$$\text{Dividing } x^3 - 21x^2 - 21x + 10 \text{ by } x^2 - 22x + 1: \text{quotient } x + 1, \text{remainder } 9$$

$$x^3 - 21x^2 - 21x + 10 = (x^2 - 22x + 1)(x + 1) + 9$$

$$= 0 \times (x + 1) + 9 = 9$$

$$\text{Ans: } 9$$

19. Find $\sqrt{11 + \sqrt{112}}$. [3]

$$\sqrt{112} = \sqrt{4 \times 28} = 2\sqrt{28}$$

$$\sqrt{11 + \sqrt{112}} = \sqrt{7 + 4 + 2\sqrt{7} \times 4}$$

$$= \sqrt{(\sqrt{7})^2 + (2)^2 + 2(\sqrt{7})(2)}$$

$$= \sqrt{(\sqrt{7} + 2)^2} = \sqrt{7} + 2$$

$$\text{Ans: } \sqrt{7} + 2$$

20. Find $\sqrt{11 + \sqrt{85}}$ and write the answer with a rational denominator. [5]

$$\begin{aligned}\sqrt{11 + \sqrt{85}} &= \sqrt{\frac{2(11 + \sqrt{85})}{2}} = \frac{\sqrt{22 + 2\sqrt{85}}}{\sqrt{2}} \\&= \frac{\sqrt{17 + 5 + 2\sqrt{17 \times 5}}}{\sqrt{2}} \\&= \frac{\sqrt{(\sqrt{17})^2 + (\sqrt{5})^2 + 2(\sqrt{17})(\sqrt{5})}}{\sqrt{2}} \\&= \frac{\sqrt{(\sqrt{17} + \sqrt{5})^2}}{\sqrt{2}} = \frac{\sqrt{17} + \sqrt{5}}{\sqrt{2}} \\&= \frac{\sqrt{17} + \sqrt{5}}{\sqrt{2}} = \frac{(\sqrt{17} + \sqrt{5}) \times \sqrt{2}}{\sqrt{2} \times \sqrt{2}} = \frac{\sqrt{34} + \sqrt{10}}{2}\end{aligned}$$

Ans: $\frac{\sqrt{34} + \sqrt{10}}{2}$
